

CSS Reference (based on [MSDN](#) and [WC3 CSS](#) reference)

- Font Properties

Property	Valid Values	Example	Inherited?
font-family	[font name or type]	font-family: Verdana, Arial;	Y
font-style	normal italic	font-style:italic;	Y
font-variant	normal small-caps	font-variant:small-caps;	Y
font-weight	normal bold	font-weight:bold;	Y
font-size	[xx-large x-large large medium small x-small xx-small] [larger smaller] <i>percentage</i> <i>length</i>	font-size:12pt;	Y
font	[<i>font-style</i> <i>font-variant</i> <i>font-weight</i>] ? <i>font-size</i> [/ <i>line-height</i>] ? <i>font-family</i>	font: bold 12pt Arial;	Y

- Color and Background Properties

Property	Valid Values	Example	Inherited?
color	<i>color</i>	color: red	Y
background-color	<i>color</i> transparent	background-color: yellow	N*
background-image	<i>url</i> none	background-image: url(house.jpg)	N*
background-repeat	repeat repeat-x repeat-y no-repeat	background-repeat: no-repeat	N*
background-attachment	scroll fixed	background-attachment: fixed	N*
background-position	[<i>position</i> <i>length</i>] {1,2} [top center bottom] [left center right]	background-position: top center	N*
background	transparent <i>color</i> <i>url</i> repeat scroll <i>position</i>	background: silver url(house.jpg) repeat-y	N*

* Starting in CSS2, the properties indicated above are inherited.

- Text Properties

Property	Valid Values	Example	Inherited?
letter-spacing	normal <i>length</i>	letter-spacing:5pt	Y
text-decoration	none underline overline line-through	text-decoration:underline	N

vertical-align	sub super	vertical-align:sub	N
text-transform	capitalize uppercase lowercase none	text-transform:lowercase	N
text-align	left right center justify	text-align:center	N
text-indent	<i>length</i> <i>percentage</i>	text-indent:25px	N
line-height	normal <i>number</i> <i>length</i> <i>percentage</i>	line-height:15pt	N

- Box Properties

Property	Valid Values	Example	Inherited?
margin-top	<i>length</i> <i>percentage</i> auto	margin-top:5px	N
margin-right	<i>length</i> <i>percentage</i> auto	margin-right:5px	N
margin-bottom	<i>length</i> <i>percentage</i> auto	margin-bottom:1em	N
margin-left	<i>length</i> <i>percentage</i> auto	margin-left:5pt	N
margin	<i>length</i> <i>percentage</i> auto {1,4}	margin: 10px 5px 10px 5px	N
padding-top	<i>length</i> <i>percentage</i>	padding-top:10%	N
padding-right	<i>length</i> <i>percentage</i>	padding-right:15px	N
padding-bottom	<i>length</i> <i>percentage</i>	padding-bottom:1.2em	N
padding-left	<i>length</i> <i>percentage</i>	padding-left:10pt; }	N
padding	<i>length</i> <i>percentage</i> {1,4}	padding: 10px 10px 10px 15px	N
border-top-width	thin medium thick <i>length</i>	border-top-width:thin	N
border-right-width	thin medium thick <i>length</i>	border-right-width:medium	N
border-bottom-width	thin medium thick <i>length</i>	border-bottom-width:thick	N
border-left-width	thin medium thick <i>length</i>	border-left-width:15px	N
border-width	thin medium thick <i>length</i> {1,4}	border-width: 3px 5px 3px 5px	N
border-top-color	<i>color</i>	border-top-color:navajowhite	N
border-right-color	<i>color</i>	border-right-color:whitesmoke	N
border-bottom-color	<i>color</i>	border-bottom-color:black	N
border-left-color	<i>color</i>	border-left-color:#C0C0C0	N
border-color	<i>color</i> {1,4}	border-color: green red white blue; }	N
border-top-style	none solid double groove ridge inset outset	border-top-style:solid	N

border-right-style	none solid double groove ridge inset outset	border-right-style:double	N
border-bottom-style	none solid double groove ridge inset outset	border-bottom-style:groove	N
border-left-style	none solid double groove ridge inset outset	border-left-style:none	N
border-style	none solid double groove ridge inset outset	border-style:ridge; }	N
border-top	<i>border-width</i> <i>border-style</i> <i>border-color</i>	border-top: medium outset red	N
border-right	<i>border-width</i> <i>border-style</i> <i>border-color</i>	border-right: thick inset maroon	N
border-bottom	<i>border-width</i> <i>border-style</i> <i>border-color</i>	border-bottom: 10px ridge gray	N
border-left	<i>border-width</i> <i>border-style</i> <i>border-color</i>	border-left: 1px groove red	N
border	<i>border-width</i> <i>border-style</i> <i>border-color</i>	border: thin solid blue	N
float	none left right	float:none	N
clear	none left right both	clear:left	N

- Classification Properties

Property	Valid Values	Example	Inherited?
display	none block inline list-item	display:none	N
list-style-type	disk circle square decimal lower-roman upper-roman lower-alpha upper-alpha none	list-style-type:upper-alpha	Y
list-style-image	<i>url</i> none	list-style-image:url(icFile.gif)	Y
list-style-position	inside outside	list-style-position:inside	Y
list-style	<i>keyword</i> <i>position</i> <i>url</i>	list-style: square outside url(icFolder.gif)	Y

- Positioning Properties

clip	<i>shape</i> auto	clip:rect(0px 200px 200px 0px)	all elements	N
height	<i>length</i> auto	height:200px	DIV, SPAN and replaced elements	N
left	<i>length</i> <i>percentage</i> auto	left:0px	absolutely and relatively positioned elements	N

overflow	visible hidden scroll auto	overflow:scroll	all elements	N
position	absolute relative static	position:absolute	all elements	N
top	<i>length</i> <i>percentage</i> auto	top:0px	absolutely and relatively positioned elements	N
visibility	visible hidden inherit	visibility:visible	all elements	N
width	<i>length</i> <i>percentage</i> auto	width:80%	DIV, SPAN and replaced elements	N
z-index	auto <i>integer</i>	z-index:-1	absolutely and relatively positioned elements	N

- Printing Properties

Property	Valid Values	Example	Inherited?
page-break-before	auto always left right	page-break-before:always	N
page-break-after	auto always left right	page-break-before:auto	N

- Pseudo Classes

Property	Valid Values	Example	Inherited?
cursor	auto crosshair default hand move e-resize ne-resize nw-resize n-resize se-resize sw-resize s-resize w-resize text wait help	{ cursor:hand; }	Y
active, hover, link, visited	n/a	a:hover { color:red; }	Y
first-letter, first-line	any font manipulating declaration	p:first-letter { float:left;color:blue }	N